

Docket No. 501.43328X00  
Serial No. 10/733,316  
Advisory Action dated May 16, 2007

RECEIVED  
CENTRAL FAX CENTER

The following listing of claims replaces all prior listings, and all prior versions, **MAY 29 2007** of claims in the application.

**LISTING OF CLAIMS:**

1. (Currently Amended) A method for transmitting image information comprising the steps of:

imaging an object by using a digital camera means so that a digital image of said object is acquired;

subjecting said acquired digital image to an image falsification prevention treatment;

detecting a defect on said object by processing the results of said image falsification prevention treatment and extracting a feature of a detected defect;

transmitting said processed digital image and information corresponding to said detected defect and its extracted feature via communications means;

receiving said processed digital image and information corresponding to said detected defect and its extracted feature;

checking said received digital image to detect the presence of image falsification;

storing said received and falsification checked digital image, and information of said detected defect, and its extracted feature in a memory; and

outputting the received and falsification checked data, and information of the detected defect, and its extracted feature to a display device.

2. (Previously Presented) The method for transmitting image information according to claim 1, wherein said image falsification prevention treatment is embedding an electronic watermark in said digital image, and said embedded electronic watermark includes at least one of information relating to the place and

Docket No. 501.43326X00  
Serial No. 10/733,316  
Advisory Action dated May 16, 2007

time at which said object was imaged comprises longitude and latitude information received from a GPS, and standard time information.

3. (Previously Presented) The method for transmitting image information according to claim 2, wherein said information relating to the place where said object was imaged comprises one or more types of information selected from air temperature, humidity, illumination, Intensity of ultraviolet radiation, altitude, air pressure, wind velocity, degree of cleanliness and sound.

4. (Previously Presented) The method for transmitting image information according to claim 2, wherein the name or code number of a person performing the Imaging who acquired said digital image is further added to said digital image information.

5-7. (Cancelled).

8. (Currently Amended) A method for transmitting image information comprising the steps of:

imaging an object by using a digital camera means so that a digital image of said object is acquired;

subjecting said acquired digital image to an image falsification prevention treatment;

transmitting said the results of said image falsification prevention treatment for said digital image via communications means;

receiving the results of said image falsification prevention treatment and information corresponding to said detected defect-and-its-extracted feature;

checking the received results of said image falsification prevention treatment for said digital image to detect the presence of falsification; and

Docket No. 501.43326X00  
Serial No. 10/733,316  
Advisory Action dated May 16, 2007

storing said received and falsification checked digital image in a memory; and detecting defects on said object by processing said falsification checked and stored digital image and extracting a feature of a detected defect; and outputting the detected defects to a display device.

9. (Previously Presented) The method for transmitting image information according to claim 8, wherein said object is welded and a welded part of said object has been subjected to a penetrant test processing or a magnetic particle test processing and said welded part is imaged in the step of imaging.

10. (Previously Presented) The method for transmitting image information according to claim 8, wherein said image falsification prevention treatment is embedding an electronic watermark in said digital image, and said embedded electronic watermark includes at least one of the place and time where said object was imaged, the person who performed the imaging, and information relating to the environment at the place where said imaging was performed.

11. (Previously Presented) The method for transmitting image information according to claim 8, wherein said image falsification prevention treatment is embedding an electronic watermark in said digital image, and said embedded electronic watermark includes at least one of air temperature, humidity, illumination, intensity of ultraviolet radiation, altitude, air pressure, wind velocity, degree of cleanliness and sound.

12. (Previously Presented) The method for transmitting image information according to claim 9, wherein defects in said welded parts are detected by subjecting said digital image to image processing.

Docket No. 501.43326X00  
Serial No. 10/733,316  
Advisory Action dated May 16, 2007

13-38. (Cancelled).